

8x8 Argo 700HD Specifications

Engine	4 cycle OHV V-Twin gasoline engine, electronic ignition, full pressure lubrication and oil filter. 3 year warranty
Model	Kohler Aegis LH 690
Horsepower	26
Displacement	674cc
Cooling	Liquid Cooled
Starting	Electric
Brakes	Hydraulic
Steering	One-piece ergonomic handlebar steering control with mounted brake lever. For safety and ease handling, the ARGO two mode steering for increased efficiency and increased agility.
Controls	Right-hand twist grip throttle grip and dash-mounted choke control. Light switch and ignition switch.
Clutch	Belt-driven, Continuously Variable Transmission (CVT) maximizes engine power to the transmission.
Transmission	ADMIRAL triple differential steering transmission with dedicated Hi and Low selector; Forward, Neutral, Reverse.
Drive System	Roller chains drive machined sprockets that are spline-fit onto 1 1/4" diameter axles. Bearings are greasable and are protected with double-sealed outer flange assemblies.
Frame	Formed steel channel construction, welded for high strength and durability. Polyester powder-coated for lasting protection.
Body	Vacuum formed High Molecular Weight Polyethylene.
Full Skid Plate	Standard
Load Capacity - On Land	1150 lbs / 521 kg total
Load Capacity - Rear Compartment	No restrictions
Load Capacity - On Water	1000 lbs / 454 kg total
Towing Capacity	1800 lbs/ 818 kg
Seating Capacity - On Land	6 persons
Seating Capacity - On Water	4 persons

Fuel Capacity	7.1 Us gallons (27 litres) See-through polyethylene fuel tank. 8 hours of operation.
Speed - On Land	20 mph / 32 km per hour
Speed- On Water	2.5 mph / 4 Km/h
Shipping Weight	1250 lbs (570 Kg)
Axle Bearing Extentions Front	Standard
Axle Bearing Extentions Rear	Standard
LCD Digital Gauge Cluster	Speedometer, Odometer, Voltmeter, Hourmeter, Tachometer, Engine Coolant Temperature, Low Oil Pressure, Parking Brake Reminder lights and Check Engine Light.
Tires	ARGO AT189 25x12.00-9 NHS
Ground Clearance - Tires	9.5" (240 mm)
Ground Clearance - Tracks	10.5" (265 mm)
Operating Conditions	All weather, all terrain, -40C to +40C

Dimensions

